



STOCK PROGRAM

COMPETENT, FAST AND IMMEDIATELY FROM STOCK

STAINLESS STEEL PLATES

QUARTO-PLATES IN STANDARD SIZES

AISI

| | | | |
|----------|----------|----------|-------|
| 304/304L | 321/321H | 316/316L | 316TI |
|----------|----------|----------|-------|

GRADE

| | | | |
|---------------|---------------|---------------|--------|
| 1.4301/1.4307 | 1.4541/1.4878 | 1.4401/1.4404 | 1.4571 |
|---------------|---------------|---------------|--------|

DIMENSION (mm)

| | | | | | | | |
|-------------|-------------|--------------|--------------|-------------|-------------|--------------|--------------|
| 1000 x 1000 | 1000 x 2000 | 1250 x 2500 | 1250 x 6000 | 1500 x 3000 | 1500 x 4000 | 1500 x 6000 | 1500 x 12000 |
| 2000 x 3000 | 2000 x 4000 | 2000 x 6000 | 2000 x 12000 | 2500 x 5000 | 2500 x 6000 | 2500 x 12000 | 2500 x 12500 |
| 3000 x 3000 | 3000 x 6000 | 3000 x 12000 | | | | | |

THICKNESS (mm)

| | | | | | | | |
|-----|----|----|----|-----|-----|-----|-----|
| 5 | 6 | 8 | 10 | 12 | 13 | 14 | 15 |
| 16 | 18 | 20 | 22 | 25 | 28 | 30 | 32 |
| 35 | 36 | 40 | 45 | 50 | 55 | 60 | 65 |
| 70 | 75 | 80 | 90 | 100 | 110 | 120 | 130 |
| 150 | | | | | | | |

COLD- AND HOT-ROLLED SHEETS

AISI

| | | | |
|----------|----------|----------|-------|
| 304/304L | 321/321H | 316/316L | 316TI |
|----------|----------|----------|-------|

GRADE

| | | | |
|---------------|---------------|---------------|--------|
| 1.4301/1.4307 | 1.4541/1.4878 | 1.4401/1.4404 | 1.4571 |
|---------------|---------------|---------------|--------|

DIMENSION (mm)

| | | | | | | |
|-------------|-------------|-------------|-------------|-------------|-------------|--------------|
| 1000 x 2000 | 1250 x 2500 | 1500 x 3000 | 1500 x 6000 | 2000 x 4000 | 2000 x 6000 | 2000 x 12000 |
|-------------|-------------|-------------|-------------|-------------|-------------|--------------|

THICKNESS (mm)

| | | | | | | | |
|----|-----|---|---|---|---|---|---|
| 1 | 1,5 | 2 | 3 | 4 | 5 | 6 | 8 |
| 10 | 12 | | | | | | |

HEAT RESISTANT PLATES

GRADE

| | | | | |
|--------|------------|-------------|---------|--------|
| 1.4828 | 1.4841/314 | 1.4845/310S | 1.4835* | 1.4713 |
|--------|------------|-------------|---------|--------|

DIMENSION (mm)

| | | | | | | | |
|-------------|-------------|-------------|--------------|-------------|-------------|--------------|--------------|
| 1000 x 1000 | 1000 x 2000 | 1250 x 2500 | 1250 x 6000 | 1500 x 3000 | 1500 x 4000 | 1500 x 6000 | 1500 x 12000 |
| 2000 x 3000 | 2000 x 4000 | 2000 x 6000 | 2000 x 12000 | 2500 x 5000 | 2500 x 6000 | 2500 x 12000 | |

THICKNESS (mm)

| | | | | | | | |
|----|-----|----|----|----|----|----|----|
| 1 | 1,5 | 2 | 3 | 4 | 5 | 6 | 8 |
| 10 | 12 | 15 | 20 | 25 | 30 | 35 | 40 |
| 45 | 50 | 60 | | | | | |

* Equivalent to 253MA

STAINLESS STEEL PLATES

DUPLEX

GRADE

| | | | |
|--------|-----------|------------|------------|
| 1.4462 | AISI 2205 | UNS S31803 | UNS S32205 |
|--------|-----------|------------|------------|

DIMENSION (mm)

| | | | | | | | |
|-------------|--------------|-------------|--------------|-------------|-------------|--------------|--------------|
| 1000 x 1000 | 1000 x 2000 | 1250 x 2500 | 1250 x 6000 | 1500 x 3000 | 1500 x 4000 | 1500 x 6000 | 1500 x 12000 |
| 2000 x 3000 | 2000 x 4000 | 2000 x 6000 | 2000 x 12000 | 2500 x 5000 | 2500 x 6000 | 2500 x 12000 | 3000 x 3000 |
| 3000 x 6000 | 3000 x 12000 | | | | | | |

THICKNESS (mm)

| | | | | | | | |
|----|----|----|----|----|-----|----|----|
| 2 | 3 | 4 | 5 | 6 | 8 | 10 | 12 |
| 15 | 16 | 18 | 20 | 25 | 30 | 35 | 40 |
| 45 | 50 | 60 | 70 | 80 | 100 | | |



QUARTO PLATES IN FIX-LENGTH

We cut 12000 mm plates into
fix-length for you "just-in-time"

SUPERDUPLEX

GRADE

| | | |
|--------|-----------|------------|
| 1.4410 | AISI 2507 | UNS S32750 |
|--------|-----------|------------|

DIMENSION (mm)

| | | | | | | | |
|-------------|-------------|-------------|--------------|-------------|-------------|--------------|--------------|
| 1000 x 1000 | 1000 x 2000 | 1250 x 2500 | 1250 x 6000 | 1500 x 3000 | 1500 x 4000 | 1500 x 6000 | 1500 x 12000 |
| 2000 x 3000 | 2000 x 4000 | 2000 x 6000 | 2000 x 12000 | 2500 x 5000 | 2500 x 6000 | 2500 x 12000 | |

THICKNESS (mm)

| | | | | | | | |
|----|----|----|----|----|----|----|----|
| 3 | 4 | 5 | 6 | 8 | 10 | 12 | 15 |
| 20 | 25 | 30 | 35 | 40 | 45 | 50 | 60 |
| 70 | 80 | | | | | | |

STAINLESS STEEL PLATES

MATERIAL GRADE 1.4539

GRADE

| | | |
|--------|-----------|------------|
| 1.4539 | AISI 904L | UNS N08904 |
|--------|-----------|------------|

DIMENSION (mm)

| | | | | | | | |
|-------------|-------------|-------------|--------------|-------------|-------------|--------------|--------------|
| 1000 x 1000 | 1000 x 2000 | 1250 x 2500 | 1250 x 6000 | 1500 x 3000 | 1500 x 4000 | 1500 x 6000 | 1500 x 12000 |
| 2000 x 3000 | 2000 x 4000 | 2000 x 6000 | 2000 x 12000 | 2500 x 5000 | 2500 x 6000 | 2500 x 12000 | |

THICKNESS (mm)

| | | | | | | | |
|----|----|----|----|----|----|----|----|
| 2 | 3 | 4 | 5 | 6 | 8 | 10 | 12 |
| 15 | 20 | 25 | 30 | 35 | 40 | 45 | 50 |
| 60 | | | | | | | |

MATERIAL GRADE 1.4313

GRADE

| | | |
|--------|-----------|---------------|
| 1.4313 | UNS 41500 | X3CRNIMO 13-4 |
|--------|-----------|---------------|

DIMENSION (mm)

| | | | | |
|-------------|-------------|-------------|-------------|-------------|
| 1000 x 2000 | 2000 x 3000 | 2000 x 4000 | 2000 x 6000 | 2500 x 6000 |
|-------------|-------------|-------------|-------------|-------------|

THICKNESS (mm)

| | | | | | | | |
|----|----|----|----|----|-----|----|----|
| 6 | 8 | 10 | 12 | 15 | 20 | 25 | 30 |
| 40 | 50 | 60 | 70 | 80 | 100 | | |

MATERIAL GRADE 1.4435

GRADE

| | | |
|--------|---------------|------------|
| 1.4435 | AISI 316/316L | UNS S31603 |
|--------|---------------|------------|

DIMENSION (mm)

| | | | | | | | |
|--------------|-------------|-------------|-------------|-------------|-------------|--------------|-------------|
| 1000 x 2000 | 1500 x 3000 | 1500 x 6000 | 2000 x 3000 | 2000 x 4000 | 2000 x 6000 | 2000 x 12000 | 2500 x 6000 |
| 2500 x 12000 | | | | | | | |

THICKNESS (mm)

| | | | | | | | |
|----|----|----|----|----|----|----|----|
| 8 | 10 | 12 | 15 | 20 | 25 | 30 | 40 |
| 50 | 60 | | | | | | |

NICKEL ALLOYS

ALLOY 600

GRADE

| | | | |
|--------|------------|-----------|------------|
| 2.4816 | UNS N06600 | ASTM B168 | ASME SB168 |
|--------|------------|-----------|------------|

DIMENSION (mm)

| | | | | | |
|-------------|-------------|-------------|-------------|-------------|-------------|
| 1000 x 2000 | 1500 x 3000 | 1500 x 6000 | 2000 x 4000 | 2000 x 6000 | 2500 x 6000 |
|-------------|-------------|-------------|-------------|-------------|-------------|

THICKNESS (mm)

| | | | | | | | |
|----|----|----|----|---|----|----|----|
| 3 | 4 | 5 | 6 | 8 | 10 | 12 | 15 |
| 20 | 25 | 30 | 40 | | | | |

ALLOY 625

GRADE

| | | | |
|--------|------------|-----------|------------|
| 2.4856 | UNS N06625 | ASTM B443 | ASME SB443 |
|--------|------------|-----------|------------|

DIMENSION (mm)

| | | | | | |
|-------------|-------------|-------------|-------------|-------------|-------------|
| 1000 x 2000 | 1500 x 3000 | 1500 x 6000 | 2000 x 4000 | 2000 x 6000 | 2500 x 6000 |
|-------------|-------------|-------------|-------------|-------------|-------------|

THICKNESS (mm)

| | | | | | | | |
|----|----|----|----|---|----|----|----|
| 3 | 4 | 5 | 6 | 8 | 10 | 12 | 15 |
| 20 | 25 | 30 | 40 | | | | |

ALLOY 825

GRADE

| | | | |
|--------|------------|-----------|------------|
| 2.4858 | UNS N08825 | ASTM B424 | ASME SB424 |
|--------|------------|-----------|------------|

DIMENSION (mm)

| | | | | | |
|-------------|-------------|-------------|-------------|-------------|-------------|
| 1000 x 2000 | 1500 x 3000 | 1500 x 6000 | 2000 x 4000 | 2000 x 6000 | 2500 x 6000 |
|-------------|-------------|-------------|-------------|-------------|-------------|

THICKNESS (mm)

| | | | | | | | |
|----|----|----|----|---|----|----|----|
| 3 | 4 | 5 | 6 | 8 | 10 | 12 | 15 |
| 20 | 25 | 30 | 40 | | | | |

ALLOY C-276

GRADE

| | | | |
|--------|------------|-----------|------------|
| 2.4819 | UNS N10276 | ASTM B575 | ASME SB575 |
|--------|------------|-----------|------------|

DIMENSION (mm)

| | | | | | |
|-------------|-------------|-------------|-------------|-------------|-------------|
| 1000 x 2000 | 1500 x 3000 | 1500 x 6000 | 2000 x 4000 | 2000 x 6000 | 2500 x 6000 |
|-------------|-------------|-------------|-------------|-------------|-------------|

THICKNESS (mm)

| | | | | | | | |
|----|---|---|---|---|----|----|----|
| 3 | 4 | 5 | 6 | 8 | 10 | 12 | 15 |
| 20 | | | | | | | |



HW-INOX GmbH

Kaiserswerther Straße 113
D-40880 Ratingen

Phone: +49 (0)2102 / 700 77 0
Fax: +49 (0)2102 / 700 77 77

info@hw-inox.de
www.hw-inox.de