



STOCK PROGRAM

COMPETENT, FAST AND IMMEDIATELY FROM STOCK

STAINLESS STEEL PLATES

QUARTO-PLATES IN STANDARD SIZES

AISI

304/304L	321/321H	316/316L	316Ti
----------	----------	----------	-------

GRADE

1.4301/1.4307	1.4541/1.4878	1.4401/1.4404	1.4571
---------------	---------------	---------------	--------

DIMENSION (mm)

1000 x 1000	1000 x 2000	1250 x 2500	1250 x 6000	1500 x 3000	1500 x 4000	1500 x 6000	1500 x 12000
2000 x 3000	2000 x 4000	2000 x 6000	2000 x 12000	2500 x 5000	2500 x 6000	2500 x 12000	2500 x 12500
3000 x 3000	3000 x 6000	3000 x 12000					

THICKNESS (mm)

5	6	8	10	12	13	14	15
16	18	20	22	25	28	30	32
35	36	40	45	50	55	60	65
70	75	80	90	100	110	120	130
150							

COLD- AND HOT-ROLLED SHEETS

AISI

304/304L	321/321H	316/316L	316Ti
----------	----------	----------	-------

GRADE

1.4301/1.4307	1.4541/1.4878	1.4401/1.4404	1.4571
---------------	---------------	---------------	--------

DIMENSION (mm)

1000 x 2000	1250 x 2500	1500 x 3000	1500 x 6000	2000 x 4000	2000 x 6000	2000 x 12000
-------------	-------------	-------------	-------------	-------------	-------------	--------------

THICKNESS (mm)

1	1,5	2	3	4	5	6	8
10	12						

MATERIAL W.-NR. 1.4016

AISI

430

GRADE

1.4016

DIMENSION (mm)

1000 x 2000	1250 x 2500	1500 x 3000
-------------	-------------	-------------

THICKNESS (mm)

0,5	0,8	1	1,5	2	2,5	3	4
5							

STAINLESS STEEL PLATES

HEAT RESISTANT PLATES

GRADE

1.4828	1.4841/314	1.4845/310S	1.4835*	1.4713
--------	------------	-------------	---------	--------

DIMENSION (mm)

1000 x 1000	1000 x 2000	1250 x 2500	1250 x 6000	1500 x 3000	1500 x 4000	1500 x 6000	1500 x 12000
2000 x 3000	2000 x 4000	2000 x 6000	2000 x 12000	2500 x 5000	2500 x 6000	2500 x 12000	

THICKNESS (mm)

1	1,5	2	3	4	5	6	8
10	12	15	20	25	30	35	40
45	50	60					

* Equivalent to 253MA

DUPLEX

GRADE

1.4462	AISI 2205	UNS S31803	UNS S32205
--------	-----------	------------	------------

DIMENSION (mm)

1000 x 1000	1000 x 2000	1250 x 2500	1250 x 6000	1500 x 3000	1500 x 4000	1500 x 6000	1500 x 12000
2000 x 3000	2000 x 4000	2000 x 6000	2000 x 12000	2500 x 5000	2500 x 6000	2500 x 12000	3000 x 3000
3000 x 6000	3000 x 12000						

THICKNESS (mm)

2	3	4	5	6	8	10	12
15	16	18	20	25	30	35	40
45	50	60	70	80	100		

SUPER DUPLEX

GRADE

1.4410	AISI 2507	UNS S32750
--------	-----------	------------

DIMENSION (mm)

1000 x 1000	1000 x 2000	1250 x 2500	1250 x 6000	1500 x 3000	1500 x 4000	1500 x 6000	1500 x 12000
2000 x 3000	2000 x 4000	2000 x 6000	2000 x 12000	2500 x 5000	2500 x 6000	2500 x 12000	

THICKNESS (mm)

3	4	5	6	8	10	12	15
20	25	30	35	40	45	50	60
70	80						

STAINLESS STEEL PLATES

MATERIAL W.-NR. 1.4539

GRADE

1.4539	AISI 904L	UNS N08904
--------	-----------	------------

DIMENSION (mm)

1000 x 1000	1000 x 2000	1250 x 2500	1250 x 6000	1500 x 3000	1500 x 4000	1500 x 6000	1500 x 12000
2000 x 3000	2000 x 4000	2000 x 6000	2000 x 12000	2500 x 5000	2500 x 6000	2500 x 12000	

THICKNESS (mm)

2	3	4	5	6	8	10	12
15	20	25	30	35	40	45	50
60							

MATERIAL W.-NR. 1.4313

GRADE

1.4313	UNS 41500	X3CRNIMO 13-4
--------	-----------	---------------

DIMENSION (mm)

1000 x 2000	2000 x 3000	2000 x 4000	2000 x 6000	2500 x 6000
-------------	-------------	-------------	-------------	-------------

THICKNESS (mm)

6	8	10	12	15	20	25	30
40	50	60	70	80	100		

MATERIAL W.-NR. 1.4435

GRADE

1.4435	AISI 316/316L	UNS S31603
--------	---------------	------------

DIMENSION (mm)

1000 x 2000	1500 x 3000	1500 x 6000	2000 x 3000	2000 x 4000	2000 x 6000	2000 x 12000	2500 x 6000
2500 x 12000							

THICKNESS (mm)

8	10	12	15	20	25	30	40
50	60						

FIXED-LENGTH SHEETS

cut from a 12,000 mm length:

GRADE

1.4301	1.4571	1.4541	1.4404	1.4462	1.4410	1.4828	1.4835
1.4841	1.4845	1.4539					

WIDTH (mm)

1500	2000	2500	3000
------	------	------	------

THICKNESS (mm)

3	4	5	6	8	10	12	13
14	15	16	18	20	22	25	28
30	32	35	40	45	50		



NICKEL ALLOYS

ALLOY 625

GRADE

2.4856	UNS N06625	ASTM B443	ASME SB443
--------	------------	-----------	------------

DIMENSION (mm)

1000 x 2000	1500 x 3000	1500 x 6000	2000 x 4000	2000 x 6000	2500 x 6000
-------------	-------------	-------------	-------------	-------------	-------------

THICKNESS (mm)

3	4	5	6	8	10	12	15
20	25	30	40				

ALLOY 825

GRADE

2.4858	UNS N08825	ASTM B424	ASME SB424
--------	------------	-----------	------------

DIMENSION (mm)

1000 x 2000	1500 x 3000	1500 x 6000	2000 x 4000	2000 x 6000	2500 x 6000
-------------	-------------	-------------	-------------	-------------	-------------

THICKNESS (mm)

3	4	5	6	8	10	12	15
20	25	30	40				



HW-INOX GmbH

Kaiserswerther Straße 113
D-40880 Ratingen

Phone: +49 (0)2102 / 700 77 0
info@hw-inox.de
www.hw-inox.de